

**Ellison, A. M. 2004. Bayesian inference for ecologists. *Ecology Letters* 7: 000-000.**

**Supplement to Table 1.** Complete list of ecological studies using Bayesian inference that were published through 2003 in the major ecological journals [ *American Naturalist* (1867-2003) , *Conservation Biology* (1987-2003) , *Ecology* (1920-2003) , *Ecological Monographs* (1931-2003) , *Ecological Applications* (1991-2003) , *Ecology Letters* (1998-2003) , *Journal of Ecology* (1913-2003) , *Journal of Animal Ecology* (1932-2003) , *Journal of Applied Ecology* (1964-2003) , *Oecologia* (1968-2003) , *Oikos* (1949-2003)].

Adams W.T., Griffin A.R. & Moran G.F. (1992) Using paternity analysis to measure effective pollen dispersal in plant populations. *American Naturalist* 140, 762-780

Anderson D.J. & Hodum P.J. (1993) Predator behavior favors clumped nesting in an oceanic seabird. *Ecology* 74, 2462-2464

Anholt B.R., Werner E. & Skelly D.K. (2000) Effect of food and predators on the activity of four larval ranid frogs. *Ecology* 81, 3059-3521

Barrowman N.J., Myers R.A., Hilborn R., Kehler D.G. & Field C.A. (2003) The variability among populations of coho salmon in the maximum reproductive rate and depensation. *Ecological Applications* 13, 784-793

Bolker B., Okuyama T., Bjorndal K. & Bolten A. (2003) Sea turtle stock estimation using genetic markers: accounting for sampling error of rare genotypes. *Ecological Applications* 13, 763-775

Calder C., Lavine M., Muller P. & Clark J.S. (2003) Incorporating multiple sources of stochasticity into dynamic population models. *Ecology* 84, 1395-1402

Cam E., Link W.A., Cooch E.G., Monnat J.-Y. & Danchin E. (2002) Individual covariation in life-history traits: seeing the trees despite the forest. *American Naturalist* 159, 96-105

Carpenter S.R. (2002) Ecological futures: Building an ecology of the long now. *Ecology* 83, 2069-2083

Carpenter S.R., Kitchell J.F., Cottingham K.L., Schindler D.E., Christensen D.L., Post D.M. & Voichick N. (1996) Chlorophyll variability, nutrient input, and grazing: Evidence from whole-lake experiments. *Ecology* 77, 725-735

Clark C.W. & Mangel M. (1984) Foraging and flocking strategies: information in an uncertain environment. *American Naturalist* 123, 626-641

- Clark J.S. (2003) Uncertainty and variability in demography and population growth: A hierarchical approach. *Ecology* 84, 1370-1381
- Clark J.S., Lewis M., McLachlan J.S. & HilleRisLambers J. (2003) Estimating population spread: What can we forecast and how well? *Ecology* 84, 1979-1988
- Clark J.S., Mohan J., Dietze M. & Ibanez I. (2003) Coexistence: How to identify trophic trade-offs. *Ecology* 84, 17-31
- Clark J.S., Silman M., Kern R., Macklin E. & HilleRisLambers J. (1999) Seed dispersal near and far: Patterns across temperate and tropical forests. *Ecology* 80, 1475-1494
- Conroy M.J. & Noon B.R. (1996) Mapping of species richness for conservation of biological diversity: conceptual and methodological issues. *Ecological Applications* 6, 763-773
- Cooper A.B., Hilborn R. & Unsworth J.W. (2003) An approach for population assessment in the absence of abundance indices. *Ecological Applications* 13, 814-828
- Cottingham K.L. & Carpenter S.R. (1998) Population, community, and ecosystem variates as ecological indicators: phytoplankton responses to whole-lake enrichment. *Ecological Applications* 8, 508-530
- Cottingham K.L. & Schindler D.E. (2000) Effects of grazer community structure on phytoplankton response to nutrient pulses. *Ecology* 81, 183-200
- Crome F.H.J., Thomas M.R. & Moore L.A. (1996) A novel Bayesian approach to assessing impacts of rain forest logging. *Ecological Applications* 6, 1104-1123
- Crone E.E. (1997) Parental environmental effects and cyclical dynamics in plant populations. *American Naturalist* 150, 708-729
- Cummings C.L., Alexander H.M., Snow A.A., Rieseberg L.H., Kim M.J. & Culley T.M. (2002) Fecundity selection in a sunflower crop-wild study: can ecological data predict crop allele changes? *Ecological Applications* 12, 1661-1671
- Damgaard C. (1998) Plant competition experiments: Testing hypotheses and estimating the probability of coexistence. *Ecology* 79, 1760-1767
- de Valpine P. & Hastings A. (2002) Fitting population models incorporating process noise and observation error. *Ecological Monographs* 72, 57-76
- Dennis B. (1996) Discussion: Should ecologists become Bayesians? *Ecological*

*Applications* 6, 1095-1103

Devlin B. & Ellstrand N.C. (1990) Male and female fertility variation in wild radish, a hermaphrodite. *American Naturalist* 136, 87-107

Dixon P. & Ellison A.M. (1996) Introduction: Ecological applications of Bayesian inference. *Ecological Applications* 6, 1034-1035

Dorazio R.M. & Johnson F.A. (2003) Bayesian inference and decision theory - A framework for decision making in natural resource management. *Ecological Applications* 13, 556-563

Drechsler M., Frank K., Hanski I., O'Hara R.B. & Wissel C. (2003) Ranking metapopulation extinction risk: From patterns in data to conservation management decisions. *Ecological Applications* 13, 990-998

Dukas R. & Clark C.W. (1995) Searching for cryptic prey: a dynamic model. *Ecology* 76, 1320-1326

Edwards D. (1996) Comment: The first data analysis should be journalistic. *Ecological Applications* 6, 1090-1094

Ellison A.M. (1996) An introduction to Bayesian inference for ecological research and environmental decision-making. *Ecological Applications* 6, 1036-1046

Felsenstein J. (1975) A pain in the torus: some difficulties with models of isolation by distance. *American Naturalist* 109, 359-368

Fleishman E., Mac Nally R., Fay J.P. & Murphy D.D. (2001) Modeling and predicting species occurrence using broad-scale environmental variables: an example with butterflies of the Great Basin. *Conservation Biology* 15, 1674-1685

Fleishman E., Nally R.M. & Fay J.P. (2003) Validation tests of predictive models of butterfly occurrence based on environmental variables. *Conservation Biology* 17, 806-817

Forcada J. (2000) Can population surveys show if the Mediterranean monk seal colony at Cap Blanc is declining in abundance? *Journal of Applied Ecology* 37, 171-181

Freilich J.E., Burnham K.P., Collins C.M. & Garry C.A. (2000) Factors affecting population assessments of desert tortoises. *Conservation Biology* 14, 1479-1489

Gardner S.N. & Mangel M. (1996) Mark-resight population estimation with imperfect observations. *Ecology* 77, 880-884

- Gaskell T.J. & George B.J. (1972) A Bayesian modification of the Lincoln index. *Journal of Applied Ecology* 9, 377-384
- Gazey W.J. & Staley M.J. (1986) Population estimation from mark-recapture experiments using a sequential Bayes algorithm. *Ecology* 67, 941-951
- Getty T. (1981) Territorial behavior of eastern chipmunks (*Tamias striatus*): encounter avoidance and spatial time-sharing. *Ecology* 62, 915-921
- Groombridge J.J., Bruford M.W., Jones C.G. & Nichols R.A. (2001) Evaluating the severity of the population bottleneck in the Mauritius kestrel *Falco punctatus* from ringing records using MCMC estimation. *Journal of Animal Ecology* 70, 401-409
- Gross K., Craig B.A. & Hutchinson W.D. (2002) Bayesian estimation of a demographic matrix model from stage-frequency data. *Ecology* 83, 3285-3298
- Gross K., Lockwood J.R., III, Frost C.C. & Morris W.F. (1998) Modeling controlled burning and trampling reduction for conservation of *Hudsonia montana*. *Conservation Biology* 12, 1291-1301
- Iwasa Y., Higashi M. & Yamamura N. (1981) Prey distribution as a factor determining the choice of optimal foraging strategy. *American Naturalist* 117, 710-723
- Johnson B.M. & Carpenter S.R. (1994) Functional and numerical responses: a framework for fish-angler interactions? *Ecological Applications* 4, 808-821
- Johnson D.H. (1980) The comparison of usage and availability measurements for evaluating resource preference. *Ecology* 61, 65-71
- Johnson D.H. (1989) An empirical Bayes approach to analyzing recurring animal surveys. *Ecology* 70, 945-952
- Karlin S. (1968) Rate of approach to homozygosity for finite stochastic models with variable population size. *American Naturalist* 102, 443-455
- Karvonen E., Merilä J., Rintamäki P.T. & van Dongen S. (2003) Geography of fluctuating asymmetry in the greenfinch, *Carduelis chloris*. *Oikos* 100, 507-516
- Kendall B.E. (1998) Estimating the magnitude of environmental stochasticity in survivorship data. *Ecological Applications* 8, 184-193
- Kitting C.L. (1980) Herbivore-plant interactions of individual limpets maintaining a mixed diet of intertidal marine algae. *Ecological Monographs* 50, 527-550

- Koops M.A. & Abrahams M.V. (2003) Integrating the roles of information and competitive ability on the spatial distribution of social foragers. *American Naturalist* 161, 586-600
- Lamon E.C., Carpenter S.R. & Stow C.A. (1998) Forecasting PCB concentrations in Lake Michigan salmonids: A dynamic linear model approach. *Ecological Applications* 8, 659-668
- Levine L., Asmussen M., Olvera O., Powell J.R., de la Rosa M.E., Salceda V.M., Gaso M.I., Guzman J. & Anderson W.W. (1980) Population genetics of Mexican *Drosophila* . V. A high rate of multiple insemination in a natural population of *Drosophila pseudoobscura* . *American Naturalist* 116, 493-503
- Link W.A. & Hahn D.C. (1996) Empirical Bayes estimation of proportions with application to Cowbird parasitism rates. *Ecology* 77, 2528-2537
- Link W.A. & Sauer J.R. (1996) Extremes in ecology: Avoiding the misleading effects of sampling variation in summary analyses. *Ecology* 77, 1633-1640
- Link W.A. & Sauer J.R. (2002) A hierarchical analysis of population change with application to cerulean warblers. *Ecology* 83, 2832-2840
- Ludwig D. (1996) Uncertainty and the assessment of extinction probabilities. *Ecological Applications* 6, 1067-1076
- Luttbeg B. & Schmitz O.J. (2000) Predator and prey models with flexible individual behavior and imperfect information. *American Naturalist* 155, 669-683
- MacNally R. & Fleishman E. (2002) Using "indicator" species to model species richness: Model development and predictions. *Ecological Applications* 12, 79-92
- MacNally R., Horrocks G. & Pettifer L. (2002) Experimental evidence for potential beneficial effects of fallen timber in forests. *Ecological Applications* 12, 1588-1594
- Manel S., Berthier P. & Luikart G. (2002) Detecting wildlife poaching: Identifying the origin of individuals with Bayesian assignment tests and multilocus genotypes. *Conservation Biology* 16, 650-659
- Mangel M., Plant R.E. & Carey J.R. (1984) Rapid delimiting of pest infestations: a case study of the Mediterranean fruit fly. *Journal of Applied Ecology* 21, 536-579
- Martindale S. (1983) Foraging patterns of nesting Gila woodpeckers. *Ecology* 64, 888-898

- McCune B., Berryman S.D., Cissel J.H. & Gitelman A.I. (2003) Use of a smoother to forecast occurrence of epiphytic lichens under alternative forest management plans. *Ecological Applications* 13, 1110-1123
- Michael E.L. (1920) Marine ecology and the coefficient of association: a plea in behalf of quantitative biology. *Journal of Ecology* 8, 54-59
- Minta S.C. (1992) Tests of spatial and temporal interaction among animals. *Ecological Applications* 2, 178-188
- Nicholson M. & Barry J. (1995) Inferences from Spatial Surveys About the Presence of An Unobserved Species. *Oikos* 72, 74-78
- Nishimura K. (1994) Decision making of a sit-and-wait forager in an uncertain environment: learning and memory load. *American Naturalist* 143, 656-676
- Nolet B.A. & Mooij W.M. (2002) Search paths of swans foraging on spatially autocorrelated tubers. *Journal of Animal Ecology* 71, 451-462
- O'Hara R.B., Arjas E., Toivonen H. & Hanski I. (2002) Bayesian analysis of metapopulation data. *Ecology* 83, 2408-2415
- Olsson O. & Holmgren N.M.A. (1999) Gaining ecological information about Bayesian foragers through their behaviour. I. Models with predictions. *Oikos* 87, 251-263
- Olsson O., Wiktander U., Holmgren N.M.A. & Nilsson S.G. (1999) Gaining ecological information about Bayesian foragers through their behaviour. II. A field test with woodpeckers. *Oikos* 87, 264-276
- Olsson O., Wiktander U., Malmqvist A. & Nilsson S.G. (2001) Variability of patch type preferences in relation to resource availability and breeding success in a bird. *Oecologia* 127, 435-443
- Osborne P.E., Alonso J.C. & Bryant R.G. (2001) Modelling landscape-scale habitat use using GIS and remote sensing: a case study with great bustards. *Journal of Applied Ecology* 38, 458-471
- Oster G. & Heinrich B. (1976) Why do bumblebees major? A mathematical model. *Ecological Monographs* 46, 129-133
- Pascual M.A. & Hilborn R. (1995) Conservation of Harvested Populations in Fluctuating Environments - the Case of the Serengeti Wildebeest. *Journal of Applied Ecology* 32, 468-480

- Pascual M.A. & Kareiva P. (1996) Predicting the outcome of competition using experimental data: Maximum likelihood and Bayesian approaches. *Ecology* 77, 337-349 (errata on p. 1887)
- Pearl R. (1917) The probable error of a Mendelian class frequency. *American Naturalist* 51, 144-156
- Peterson G.D., Carpenter S.R. & Brock W.A. (2003) Uncertainty and the management of multistate ecosystems: an apparently rational route to collapse. *Ecology* 84, 1403-1411
- Peterson J.T. & Dunham J. (2003) Combining inferences from models of capture efficiency, detectability, and suitable habitat to classify landscapes for conservation of threatened bull trout. *Conservation Biology* 17, 1070-1077
- Platt W.J., Beckage B., Doren R.F. & Slater H.H. (2002) Interactions of large-scale disturbances: Prior fire regimes and hurricane mortality of savanna pines. *Ecology* 83, 1566-1572
- Pollak E. (1974) The survival of a mutant gene and the maintenance of polymorphism in subdivided populations. *American Naturalist* 108, 20-28
- Pusenius J. & Schmidt K.A. (2002) The effects of habitat manipulation on population distribution and foraging behavior in meadow voles. *Oikos* 98, 251-262
- Reckhow K.H. (1990) Bayesian-Inference in Non-Replicated Ecological-Studies. *Ecology* 71, 2053-2059
- Rodriguez-Girones M.A. & Lotem A. (1999) How to detect a cuckoo egg: A signal-detection theory model for recognition and learning. *American Naturalist* 153, 633-648
- Rossi R.E., Borth P.W. & Tollefson J.J. (1993) Stochastic simulation for characterizing ecological spatial patterns and appraising risk. *Ecological Applications* 3, 719-735
- Royle J.A. & Nichols J.D. (2003) Estimating abundance from repeated presence-absence data or point counts. *Ecology* 84, 777-790
- Santos P.F. & Whitford W.G. (1981) The effects of microarthropods on litter decomposition in a Chihuahuan desert ecosystem. *Ecology* 62, 654-663
- Sauer J.R. & Link W.A. (2002) Hierarchical modeling of population stability and species group attributes from survey data. *Ecology* 83, 1743-1751
- Schmidt K.A., Goheen J.R. & Naumann R. (2001) Incidental nest predation in songbirds:

Behavioral indicators detect ecological scales and processes. *Ecology* 82, 2937-2947

Schmidt K.A., Goheen J.R., Naumann R., Ostfeld R.S., Schaubert E.M. & Berkowitz A. (2001) Experimental removal of strong and weak predators: Mice and chipmunks preying on songbird nests. *Ecology* 82, 2927-2936

Shen T.J., Chao A. & Lin C.F. (2003) Predicting the number of new species in further taxonomic sampling. *Ecology* 84, 798-804

Solow A.R. (1993) Inferring extinction from sighting data. *Ecology* 74, 962-964

Solow A.R. (1994) On the Bayesian estimation of the number of species in a community. *Ecology* 75, 2139-2142

Stephens D.W. (1989) Variance and the value of information. *American Naturalist* 134, 128-140

Stewart-Oaten A., Bence J.R. & Osenberg C.W. (1992) Assessing effects of unreplicated perturbations: no simple solutions. *Ecology* 73, 1396-1404

Stow C.A., Carpenter S.R. & Cottingham K.L. (1995) Resource vs. ratio-dependent consumer-resource models - a Bayesian perspective. *Ecology* 76, 1986-1990

Strong D.R., Whipple A.V., Child A.L. & Dennis B. (1999) Model selection for a subterranean trophic cascade: root-feeding caterpillars and entomopathogenic nematodes. *Ecology* 80, 2750-2761

Taylor B.L., Wade P.R., Stehn R.A. & Cochrane J.F. (1996) A Bayesian approach to classification criteria for spectacled eiders. *Ecological Applications* 6, 1077-1089

Templeton A.R. & Rothman E.D. (1974) Evolution in heterogeneous environments. *American Naturalist* 108, 409-428

ter Braak C.J.F. & Etienne R.S. (2003) Improved Bayesian analysis of metapopulation data with an application to a tree frog metapopulation. *Ecology* 84, 231-241

Toivonen H.T.T., Mannila H., Korhola A. & Olander H. (2001) Applying Bayesian statistics to organism-based environmental reconstruction. *Ecological Applications* 11, 618-630

Tufto J., Saether B.E., Engen S., Arcese P., Jerstad K., Rostad O.W. & Smith J.N.M. (2000) Bayesian meta-analysis of demographic parameters in three small, temperate passerines. *Oikos* 88, 273-281

Valone T.J. & Brown J.S. (1989) Measuring patch assessment abilities of desert granivores. *Ecology* 70, 1800-1810

van Gils J.A., Schenk I.W., Bos O. & Piersma T. (2003) Incompletely informed shorebirds that face a digestive constraint maximize net energy gain when exploiting patches. *American Naturalist* 161, 777-793

VerHoef J.M. (1996) Parametric empirical Bayes methods for ecological applications. *Ecological Applications* 6, 1047-1055

Wade P.R. (2000) Bayesian methods in conservation biology. *Conservation Biology* 14, 1308-1316

Walters C.J. & Holling C.S. (1990) Large-scale management experiments and learning by doing. *Ecology* 71, 2060-2068

Wikle C.K. (2003) Hierarchical Bayesian models for predicting the spread of ecological processes. *Ecology* 84, 1382-1394

Williams-Linera G. (1990) Vegetation structure and environment conditions of forest edges in Panama. *Journal of Ecology* 78, 356-373

Wolfson L.J., Kadane J.B. & Small M.J. (1996) Bayesian environmental policy decisions: Two case studies. *Ecological Applications* 6, 1056-1066

Zabel C.J., Dunk J.R., Stauffer H.B., Roberts L.M., Mulder B.S. & Wright A. (2003) Northern spotted owl habitat models for research and management application in California (USA). *Ecological Applications* 13, 1027-1040