

[Home](#)

[Make this your homepage](#)

Local  Web

Welcome: [ART / ENTERTAINMENT](#) | [AUTOMOTIVE](#) | [BUSINESS](#) | [LIFESTYLE](#) | [HEALTH / MEDICAL](#) | [TECHNOLOGY](#) | [EDUCATION](#) |



**News Guide Page: EDUCATION: Science**

[Reserve Studies](#)

Community Reserve Studies Experience you can count on!  
[AssociationStudies.com](#)

[Title Plant Builders](#)

A Title Plant Software and Plant Building Co located here in the US  
[www.kimmelcorporation.com](#)

[Santa Rosa Plateau](#)

Estate Homes, Horse Ranches & Land Hundreds of Photos & Area Links  
[www.lacrestaland.com](#)

[Science](#)

[Psychology](#)

category [Education Online](#)

Learn about Education Online.

# Predicting species abundance in the face of habitat loss

[Ads by Goooooogle](#)

[Jack Spencer  
Photographs](#)

Large inventory of  
photographs Full  
shipping services  
available  
[www.oswaldgallery.com](http://www.oswaldgallery.com)

[Timberwolf Tree  
Shears](#)

Ideal for  
maintaining natural  
forests &  
hazardous fuels  
reduction  
[treeshears.com/timberwo](http://treeshears.com/timberwo)

[Local Landscape  
Quotes](#)

We Service Your  
Local Community!  
Bids For All  
Landscape  
Projects  
[www.Yardcrew.com](http://www.Yardcrew.com)

[See the Tallgrass  
Prairie](#)

30,000 acres of  
Tallgrass Prairie,  
bison, & more.  
Images and info at  
[www.visittheosage.com](http://www.visittheosage.com)

26.09.2006 03:15

category: [EDUCATION](#) > [Science](#)

**Predicting species abundance in the face of habitat loss**

Habitat loss poses the greatest threat to the survival of a species, and often precipitates the demise of top predators and wide-ranging animals, like the Siberian tiger and the orangutan. Any hope of recovering such critically endangered species depends on understanding what drives changes in population size following habitat contraction. In a new study published in PLoS Biology, Nicholas Gotelli and Aaron Ellison test the relative



contributions of habitat contraction, keystone species effects, and food-web interactions on species abundance, and provide experimental evidence that trophic interactions exert a dominant effect. Until now, direct evidence that trophic interactions play such an important role has been lacking, in part because manipulating an intact food web has proven experimentally intractable, and in part because these different modeling frameworks have not been explicitly compared.

Gotelli and Ellison overcame such technical limitations by using the carnivorous pitcher plant (*Sarracenia purpurea*) and its associated food web as a model for studying what regulates abundance in shrinking habitats. Every year, the pitcher plant, found in bogs and swamps throughout southern Canada and the eastern United States, grows six to 12 tubular leaves that collect enough water to

support an entire aquatic food web. The pitcher plant food web starts with ants, flies, and other arthropods unlucky enough to fall into its trap. Midges and sarcophagid fly larvae "shred" and chew on the hapless insect. This shredded detritus is further broken down by bacteria, which in turn are consumed by protozoa, rotifers, and mites. Pitcher plant mosquito larvae feed on bacteria, protozoa, and rotifers. Older, larger sarcophagid fly larvae also feed on rotifers as well as on younger, smaller mosquito larvae.

Working with 50 pitcher plants in a bog in Vermont, Gotelli and Ellison subjected the plants to one of five experimental treatments, in which they manipulated habitat size (by changing the volume of water in the leaves), simplified the trophic structure (by removing the top trophic level--larvae of the dipterans fly, midge, and mosquito), did some combination of the two, or none of the above (the control condition). Dipteran larvae and water were measured as each treatment was maintained; both were replaced in the control condition and more water was added in the habitat expansion treatment. These treatments mimic the kinds of changes that occur in nature as habitat area shrinks and top predators disappear from communities.

The best predictors of abundance were models that incorporated trophic structure--including the "mosquito keystone model." This model accurately reflected the pitcher plant food web, with mosquito larvae preying on rotifers, and sarcophagid flies preying on mosquito larvae. "Bottom-up" food-web models (in which links flow from prey to predator) predicted that changes in bacteria population size influence protozoa abundances, which in turn affect mosquito numbers, and that changes in bacteria abundance also affect mite numbers, which impact rotifer abundance. This scenario lends support to the model of a *Sarracenia* food web in which each link in the chain performs a specialized service in breaking down the arthropod prey that is used by the next species in the processing chain.

With over 200 million acres of the world's forestlands destroyed in the 1990s alone, and an estimated 40% increase in the human population by 2050, a growing number of species will be forced to cope with shrinking habitat. Instead of trying to determine how individual species might respond to habitat loss, Gotelli and Ellison argue that incorporating trophic structure into ecological models may yield more-accurate predictions of species abundance--a critical component of species restoration strategies.

Citation: Gotelli NJ, Ellison AM (2006) Food-web models predict species abundances in response to habitat change. *PLoS Biol* 4(10): e324. DOI: 10.1371/journal.pbio.0040324.

**CONTACT:**

Nicholas Gotelli  
University of Vermont  
Marsh Life Science Building  
Burlington, VT 05405-0086  
+1-802-656-0450  
+1-802-656-2914 (fax)  
[ngotelli@uvm.edu](mailto:ngotelli@uvm.edu)

**PLEASE MENTION THE OPEN-ACCESS JOURNAL PLoS BIOLOGY ([www.plosbiology.org](http://www.plosbiology.org)) AS THE SOURCE FOR THESE ARTICLES AND PROVIDE A LINK TO THE FREELY-AVAILABLE TEXT. THANK YOU.**

All works published in PLoS Biology are open access. Everything is immediately available--to read, download, redistribute, include in databases, and otherwise use--without cost to anyone, anywhere, subject only to the condition that the original authorship and source are properly attributed. Copyright is retained by the authors. The Public Library of Science uses the Creative Commons Attribution

**License.**Original text is [here](#)[Vegetation Management-Pro](#)

Learn About Professional  
Vegetation Information &  
Recommendations  
[www.vmanswers.com](http://www.vmanswers.com)

[Vegetation Management](#)

Find out detailed info & resources  
Vegetation Management  
[dbmoz.biz/4/vegetation](http://dbmoz.biz/4/vegetation)

[CT Ecology Guidebook](#)

Visit CTs 16 native habitats  
Forests, rivers, marshes, bogs  
[cttrips.com](http://cttrips.com)

[Red Peak Forest Estate](#)

Prestige land - Cairns,  
Queensland Located in the  
Tropical Far North  
[www.redpeakestate.com.au](http://www.redpeakestate.com.au)

**Comments:****Add comment**Name: E-Mail: Comment: Enter code: **A new way to treat colon cancer?**

10.10.2006 | 02:41

category: EDUCATION : Science

A new way to treat colon cancer? Possible new drug still is three to five years away Researchers at University of Utah's Huntsman Cancer Institute have discovered a new target for possible future colon cancer treatments – a molecule that is implicated in 85 percent of colon cancer cases. These findings were published online Oct. 6, 2006, in the Journal of Biological Chemistry.

... [read full topic](#)[comments](#)**Controlling antibiotics and antibiotic resistance in hospitals**

10.10.2006 | 02:41

category: EDUCATION : Science

Controlling antibiotics and antibiotic resistance in hospitals INDIANAPOLIS - In one of the first national studies on guidelines that control antibiotics and antibiotic resistance in hospitals, researchers from the Indiana University School of Medicine, the Regenstrief Institute, Inc. and the Richard Roudebush Veterans Administration Medical Center report that hospitals that follow national

**guidelines on controlling antibiotic use have lower rates of antibiotic resistance.**

... [read full topic](#)

[comments](#)

## LOGIIC helps keep oil, gas control systems safe

10.10.2006 | 02:41

category: EDUCATION : Science

**LOGIIC helps keep oil, gas control systems safe**Sandia serves as lead national lab in security system integration  
**ALBUQUERQUE, N.M.** - For the past 12 months, Sandia National Laboratories has served as the lead national lab in Project LOGIIC (Linking the Oil and Gas Industry to Improve Cyber Security). The project was created to keep U.S. oil and gas control systems safe and secure, and to help minimize the chance that a cyber attack could severely damage or cripple America's oil and gas infrastructure.

... [read full topic](#)

[comments](#)

## Powerful genome ID method extended to humans

10.10.2006 | 02:41

category: EDUCATION : Science

**Powerful genome ID method extended to humans**For cancer biology and other medical applications, optical mapping reveals more than traditional DNA sequencing  
A mathematical discovery has extended the reach of a novel genome mapping method to humans, potentially giving cancer biology a faster and more cost-effective tool than traditional DNA sequencing.

... [read full topic](#)

[comments](#)

## Nanocrystals are hot

10.10.2006 | 02:41

category: EDUCATION : Science

**Nanocrystals are hot**Germanium nanocrystals embedded in glass: they're hotter before they melt and colder before they freeze  
**BERKELEY, CA** -- Scientists at the Department of Energy's Lawrence Berkeley National Laboratory have discovered that nanocrystals of germanium embedded in silica glass don't melt until the temperature rises almost 200 degrees Kelvin above the melting temperature of germanium in bulk. What's even more surprising, these melted nanocrystals have to be cooled more than 200 K below the bulk melting point before they resolidify.

... [read full topic](#)

[comments](#)

© Copyright 2005-2006 NewsGuide.us. All rights reserved.