


[Home](#)

[RSS Science News](#)
[Top Science News](#)
[Search Brightsurf](#)
[Science News Archive](#)
[Contact Brightsurf](#)
[Resource Directory](#)
[Ads by Google](#)

[UNC-Chapel Hill](#)

Disaster Management
Certificate Program
Online. Be ready.
www.disastermanagement.unc.edu

[Black Knight Security](#)

Develop a comprehensive
and easily understood
evacuation diagram
www.blackknightsecurity.com

[Emergency Notification](#)

Industry Leader for Gov &
Corporate
Voice-Email-Fax-SMS-GIS
Mapping
www.aenusa.com

[Wilderness EMT](#)

Feb 2 - Mar 3, 2007 North
Cascades National Park,
WA
www.remotemedical.com

[Ready First Aid Kits](#)

Free ground shipping and
free first aid kit on orders
over \$50.
www.e-firstaidsupplies.com

[Shop@Brightsurf](#)

[Flu Armour™ Bird Flu Kits](#)

Family, Business, & Government Prep
Featured on ABC-TV News

[First-Aid-Kits](#)

Wholesale Direct Pricing America's safety
and security store

Predicting species abundance in the face of habitat loss

September 26, 2006 - Habitat loss poses the greatest threat to the survival of a species, and often precipitates the demise of top predators and wide-ranging animals, like the Siberian tiger and the orangutan. Any hope of recovering such critically endangered species depends on understanding what drives changes in population size following habitat contraction. In a new study published in PLoS Biology, Nicholas Gotelli and Aaron Ellison test the relative contributions of habitat contraction, keystone species effects, and food-web interactions on species abundance, and provide experimental evidence that trophic interactions exert a dominant effect. Until now, direct evidence that trophic interactions play such an important role has been lacking, in part because manipulating an intact food web has proven experimentally intractable, and in part because these different modeling frameworks have not been explicitly compared.

Gotelli and Ellison overcame such technical limitations by using the carnivorous pitcher plant (*Sarracenia purpurea*) and its associated food web as a model for studying what regulates abundance in shrinking habitats. Every year, the pitcher plant, found in bogs and swamps throughout southern Canada and the eastern United States, grows six to 12 tubular leaves that collect enough water to support an entire aquatic food web. The pitcher plant food web starts with ants, flies, and other arthropods unlucky enough to fall into its trap. Midges and sarcophagid fly larvae "shred" and chew on the hapless insect. This shredded detritus is further broken down by bacteria, which in turn are consumed by protozoa, rotifers, and mites. Pitcher plant mosquito larvae feed on bacteria, protozoa, and rotifers. Older, larger sarcophagid fly larvae also feed on rotifers as well as on younger, smaller mosquito larvae.

Working with 50 pitcher plants in a bog in Vermont, Gotelli and Ellison subjected the plants to one of five experimental treatments, in which they manipulated habitat size (by changing the volume of water in the leaves), simplified the trophic structure (by removing the top trophic level—larvae of the dipterans fly, midge, and mosquito), did some combination of the two, or none of the above (the control condition). Dipteran larvae and water were measured as each treatment was maintained; both were replaced in the control condition and more water was added in the habitat expansion treatment. These treatments mimic the kinds of changes that occur in nature as habitat area shrinks and top predators disappear from communities.

The best predictors of abundance were models that incorporated trophic structure—including the "mosquito keystone model." This model accurately reflected the pitcher plant food web, with mosquito larvae preying on rotifers, and sarcophagid flies preying on mosquito larvae. "Bottom-up" food-web models (in which links flow from prey to predator) predicted that changes in bacteria population size influence protozoa abundances, which in turn affect mosquito numbers, and that changes in bacteria abundance also affect mite numbers, which impact rotifer abundance. This scenario lends support to the model of a *Sarracenia* food web in which each link in the chain performs a specialized service in breaking down the arthropod prey that is used by the next species in

[Search BrightSurf.com](#)

[Ads by Google](#)

[Mission Trips & Resources](#)

Trips, Training, and Publications
Short Term Mission books &
training
www.stemintl.org

the processing chain.

With over 200 million acres of the world's forestlands destroyed in the 1990s alone, and an estimated 40% increase in the human population by 2050, a growing number of species will be forced to cope with shrinking habitat. Instead of trying to determine how individual species might respond to habitat loss, Gotelli and Ellison argue that incorporating trophic structure into ecological models may yield more-accurate predictions of species abundance—a critical component of species restoration strategies.

Public Library of Science



[Print this page](#)



[E-mail this page to a friend](#)

[More articles about " habitat loss "](#)

Related Reading



[The Shrinking World: Ecological Consequences of Habitat Loss \(Excellence in Ecology, Volume 14\)](#)

by *Ilkka Hanski*



[Compensating for Wetland Losses Under the Clean Water Act](#)

by *National Research Council*



[The responses of hantavirus host communities to habitat fragmentation and biodiversity loss in Panama](#)

by *Gerardo Suzan*

[Stemming the Tide of Coastal Fish Habitat Loss : Marine Pecreational Fisheries 14](#)

by *Richard H Stroud*

[STATUS AND TRENDS OF HYDROLOGIC MODIFICATION, REDUCTION IN SEDIMENT AVAILABILITY, AND HABITAT LOSS/MODIFICATION IN THE BARATARIA-TERREBONNE ESTUARINE SYSTEM](#)

Barataria-Terrebonne National Estuary Program

by *Denise J. ; editor Reed*

[Stemming the Tide of Coastal Fish Habitat Loss ~ A Symposium on Conservation of Coastal Fish Habitat](#)

by *Richard H. Stroud*

[Habitat loss.: An article from: World Watch](#)

by *Ed Ayres*

[Childhood vision loss hasn't slowed down JACKson native Ginny Owens:](#)

An article from: The Mississippi Business Journal

by *Julie Whitehead*

Childhood vision loss hasn't slowed down Jackson native Ginny Owens: Christian contemporary recording artist doing her part to promote mission of Habitat ... article from: Mississippi Business Journal
by Julie Whitehead

Bird habitat losses...a challenge for photographers : An article from: PSA Journal
by Don Chisholm

BrightSurf.com Today's Science News

September 29, 2006

Major cancer study aims to identify protein markers for early-stage disease

Gaining weight between pregnancies could lead to pregnancy complications

Psychologist increases preschooler compliance in study

ABCB6 is key to production of heme in hemoglobin

As ozone hole approaches annual peak, NASA scientists reveal latest information and images

Chemical genomic screening identifies novel therapeutic strategies for cancer

Parasitic plants sniff out hosts

Leptin has powerful effect on reward center in the brain

Steroid injections do not provide long-term relief from tennis elbow

Criminalizing HIV transmission is a threat to public health, say experts

Twins have similar school performance to single-born children

Watching how planets form

Genetic 'roadmap' charts links between drugs and human disease

Entanglement unties a tough quantum computing problem

Scientists use gene signatures to match cancer and other diseases with potentially effective drugs

With record resolution and sensitivity, tool images how life organizes in a cell membrane

Chronic diseases and injuries now number one killer in rural India

Winds trigger increases in ozone destroying gases in upper stratosphere

Cancer drug may be remedy for rheumatoid arthritis, Stanford study finds